NEREIS AUSTRALIS, OR ALGAE OF THE OCEAN: BEING FIGURES AND DESCRIPTIONS OF MARINE PLANTS, COLLECTED ON THE SHORES OF THE CAPE OF GOOD HOPE, THE EXTRA-TROPICAL AUSTRALIAN COLONIES, TASMANIA, NEW ZEALAND, AND THE ANTARCTIC REGIONS; DEPOSITED IN THE HERBARIUM OF THE DUBLIN UNIVERSITY BY WILLIA

WILLIAM HENRY HARVEY



This historic book may have numerous typos and missing text. Purchasers can download a free scanned copy of the original book (without typos) from the publisher. Not indexed. Not illustrated. 1847 Excerpt: ... of primary siphons. The figure in the Flora Antarctica is of too bright a colour. Genus 19. DASYA, Ag. Fron s filiformis v. compresso-plana, linearis, ramosa, inarticulata, v. plus minus articulata. articulis longitudinaliter ramellos monosiphonios pluristriatis, dichotomos simplicesve emittens. Caulis e cellulis (siphones) pluribus cavitatem centralem radiatim cingentibus saepius celluloso corticatis conflatus. strato Ceramidia ovata v. urceolata, sacpissimo pedicellata. Stichidia lanceolata, e ramellis enata, tetrasporas duplici multiplicive serie foventia. Algae fruticosae, habitu vario, boreales, tropica et austraks, roseae, purpureae v. rarb badiae, ramellis saepc penicellatis, gracillimis, flaccidis, plus minus vestitae; stichidiis elegantissimis. This beautiful genus, founded in 1824, on the Mediterranean Basya elegam, now contains thirty described species, which are widely distributed over the Ocean, from the north of Europe to Cape Horn. In Northern Europe two species occur; on the south coast of England, and in Ireland, a third makes its appearance; the Atlantic shores of Spain furnish two more, and the Mediterranean Sea, besides two of the former, produces five species, which do not elsewhere occur in Europe. Basya elegans, the type of the genus, abounds also on the shores of Rhode Island, in North America, and is closely represented by the B. villosa the Southern Hemisphere. Basya coccinea, the most northern species, is found on all the Atlantic shores of Europe, and in North America, but does not exist in the Mediterranean; this also has its tropical analogue in D. crassa, and its southern in D. ceramioides. Basya arbuscula, the other north of Europe form, which extends from

the Orkneys to the shores of Senegambia, is very closely, perha...

[PDF] The American Shorthorn Herd Book, Volume 38...

[PDF] National Geographic Magazine - March 1958 - Volume CXIII, Number Three

[PDF] Antarctica: Exploring the Extreme: 400 Years of Adventure

[PDF] An Enabler Not a Victim Work Booklet: Ending the Cycle of Domestic Violence

[PDF] Aging Population, Pension Funds, and Financial Markets: Regional Perspectives and Global Challenges for Central, Eastern and Southern Europe (Directions in Development)

[PDF] Its Not the Glass Ceiling, Its the Sticky Floor: And Other Things Our Daughters Should Know About Marriage, Work, and Motherhood

[PDF] Self-Actualization in Women and Its Relationship to Motherhood, Educational Background, Employment Status, and Present Age

Nereis Australis, Or Algae of the Southern Ocean: Being Figures and New Zealand, And The Antarctic Regions on ? FREE SHIPPING on Of Marine Plants, Collected On The Shores Of The Cape Of Good Hope, . Nereis australis, or Algae of the southern ocean: being figures and Nereis Australis, Or Algae of the Southern Ocean: Being Figures and Nereis australis, or algae of the southern ocean: being figures and descriptions of marine plants, collected on the shores of the Cape of Good Hope, the extra-tropical Australian colonies, Tasmania, New Zealand, and the Antarctic regions deposited in the Herbarium of the Dublin University. [Part 1]. pp. i-viii, 1-64, pls I-XXV. **Plocamium hookeri** Harvey:: Algaebase Nereis Australis or algae of the Southern ocean: being figures and descriptions of marine plants collected on the shores of the Cape of Good Hope, the extra-tropical Australian colonies, Tasmania, New Zealand and the Antarctic regions deposited in the Herbarium of the Dublin University / by William Henry Harvey, Nereis australis, or algae of the southern ocean: being figures and descriptions of marine plants, collected on the shores of the Cape of Good Hope, the extra-tropical Australian colonies, Tasmania, New Zealand, and the Antarctic regions deposited in the Herbarium of the Dublin University. [Part 2]. pp. 65-124 [ends Epineuron colensoi & Harvey - Algaebase.org Nereis Australis, or algae of the Southern Ocean: being figures and descriptions of marine plants, collected on the shores of the Cape of Good Hope, the extra-tropical Australian colonies, Tasmania, New Zealand, and the Antarctic regions deposited in the herbarium of the Dublin University. London. Hawkesworth, John. Epineuron colensoi & Harvey -**AlgaeBase.org** Nereis australis, or algae of the southern ocean: being figures and descriptions of marine plants, collected on the shores of the Cape of Good Hope, the extra-tropical Australian colonies, Tasmania, New Zealand, and

the Antarctic regions deposited in the Herbarium of the Dublin University. [Part 1]. pp. i-viii, 1-64, pls I-XXV. Polysiphonia cancellata Harvey:: Algaebase Harvey, W.H. (1849). Nereis australis, or algae of the southern ocean: being figures and descriptions of marine plants, collected on the shores of the Cape of Good Hope, the extra-tropical Australian colonies, Tasmania, New Zealand, and the Antarctic regions deposited in the Herbarium of the Dublin University. [Part 2]. pp. Nereis Australis, or Algae of the Southern Ocean Being Figures and Algae antarcticae, being characters and descriptions of the hitherto Nereis australis, or algae of the southern ocean: being figures and descriptions of marine plants, collected on the shores of the Cape of Good Hope, the New Zealand, and the Antarctic regions deposited in the Herbarium of the Dublin University. **Dasya capillaris & Harvey:** Algaebase Nereis australis, or algae of the southern ocean: being figures and descriptions of marine plants, collected on the shores of the Cape of Good Hope, the extra-tropical Australian colonies, Tasmania, New Zealand, and the Antarctic regions deposited in the Herbarium of the Dublin University. [Part 1]. pp. i-viii, 1-64, pls I-XXV. Nereis Australis, Or Algae of the Southern Ocean: Being Figures and Nereis Australis, Or Algae of the Southern Ocean: Being Figures and Descriptions of Marine Plants, Collected On the Shores of the Cape of Good Hope, the Extra-Tropical Australian Tasmania, New Zealand, and the Antarctic Regions Deposited in the by harvey, william henryauthor only for Rs. 2406 at . Lenormandia marginata & Harvey:: Algaebase Nereis Australis, Or Algae of the Southern Ocean: Being Figures and Descriptions of Marine Plants, Collected on the Shores of the Cape of Good Hope, the Extra-Tropical Australian Colonies, Tasmania, New Zealand, and the Antarctic Regions Deposited in the Herbarium of the Dublin University by William Henry Harvey. Cladhymenia lyallii Harvey:: Algaebase Nov 13, 2014 Nereis australis, or Algae of the southern ocean: being figures and descriptions of marine plants, collected on the shores of the Cape of Good Hope, the extra-tropical Australian colonies, Tasmania, New Zealand, and the Antarctic regions deposited in the Herbarium of the Dublin University / Nereis australis, or, Algae of the southern ocean: being figures and Nereis australis, or algae of the Southern Ocean being figures and descriptions of marine plants, collected on the shores of the Cape of Good Hope, the extra-tropical Australian Colonies, Tasmania, New Zealand, and the Antarctic regions deposited in the Herbarium of the Dublin University. London: Reeve Bros. **Dasya hormoclados** :: Algaebase Nereis australis, or algae of the southern ocean: being figures and descriptions of marine plants, collected on the shores of the Cape of Good Hope, the extra-tropical Australian colonies, Tasmania, New Zealand, and the Antarctic regions deposited in the Herbarium of the Dublin University. [Part 2]. pp. 65-124 [ends Nereis Australis, Or Algae Of The Southern Ocean: Being Figures of marine plants collected on the shores of the Cape of Good Hope, the New Zealand and the Antarctic regions deposited in the Herbarium of the Dublin Nereis Australis, Or Algae of the Southern Ocean: Being Figures and Buy Nereis Australis, Or Algae of the Southern Ocean: Being Figures and Descriptions of Marine Plants, Collected On The Shores of The Cape of Good Hope, and The Antarctic Regions Deposited in The by William Henry Harvey (ISBN: 9781298594570) from Amazons Book Store. Free UK delivery on eligible orders. Nereis Australis, Or Algae of the Southern Ocean: Being Figures and Nereis australis, or Algae of the southern ocean: being figures and descriptions of marine plants, collected on the shores of the Cape of Good Hope, the extra-tropical Australian colonies, Tasmania, New Zealand, and the Antarctic regions deposited in th. Harvey, William H. (William Henry). London: Reeve Brothers Polysiphonia versicolor & Harvey :: Algaebase Buy Nereis Australis, Or Algae of the Southern Ocean: Being Figures and Descriptions of Marine Plants, Collected On the Shores of the Cape of Good Hope, and the Antarctic Regions Deposited in the on ? FREE SHIPPING on qualified orders. Nereis australis, or Algae of the southern ocean: being - Flickr Nereis australis, or algae of the southern ocean: being figures and descriptions of marine plants, collected on the shores of the Cape of Good Hope, the extra-tropical Australian colonies, Tasmania, New Zealand, and the Antarctic regions deposited in the Herbarium of the Dublin University. [Part 1]. pp. i-viii, 1-64, pls I-XXV. Nereis Australis or algae of the Southern ocean: being figures and Harvey, W.H. (1849). Nere is australis, or algae of the southern ocean: being figures and descriptions of marine plants, collected on the shores of the Cape of Good Hope, the extra-tropical Australian colonies, Tasmania, New Zealand, and the Antarctic regions deposited in the Herbarium of the Dublin University. [Part 2]. pp. Polyphacum smithiae & Harvey:: Algaebase Nereis australis, or algae of the southern ocean: being figures and descriptions of marine plants, collected on the shores of the Cape of Good Hope, the extra-tropical Australian colonies, Tasmania, New Zealand, and the Antarctic regions deposited in the Herbarium of the Dublin University. [Part 1]. pp. i-viii, 1-64, pls I-XXV. Nereis Australis or algae of the Southern ocean: being figures and Buy Nereis Australis, or Algae of the Southern Ocean being figures and descriptions of Marine Plants, Collected on the shores of the Cape of Good Hope, and the Antarctic Regions deposited in the by William Henry

Harvey (ISBN: Amphiroa bowerbankii Harvey:: Algaebase Buy Nereis Australis, Or Algae of the Southern Ocean: Being Figures and Descriptions of Marine Plants, Collected On the Shores of the Cape of Good Hope, and the Antarctic Regions Deposited in the by William Henry Harvey (ISBN:) from Amazons Book Store. Free UK delivery on eligible orders. Bostrychia binderi Harvey:: Algaebase Nereis australis, or, Algae of the southern ocean: being figures and descriptions of marine plants, collected on the shores of the Cape of Good Hope, the Tasmania, New Zealand, and the Antarctic regions deposited in the Herbarium of the Dublin Physical Description: viii, 124 p., 50 leaves of plates: col. ill. 28 cm. The Correspondence of Charles Darwin: 1847-1850 - Google Books Result Nereis Australis, or Algae of the Southern Ocean Being Figures and Descriptions of Marine Plants, Collected on the Shores of the Cape of Good Hope, the