

Nereis Australis, or Algae of the Southern Ocean; being figures and descriptions of Marine Plants, Collected on the shores of the Cape of Good Hope, ... and the Antarctic Regions deposited in the

NEREIS AUSTRALIS, OR ALGAE OF THE OCEAN: BEING FIGURES AND DESCRIPTIONS OF MARINE PLANTS, COLLECTED ON THE SHORES OF THE CAPE OF GOOD HOPE, THE EXTRA-TROPICAL AUSTRALIAN COLONIES, TASMANIA, NEW ZEALAND, AND THE ANTARCTIC REGIONS; DEPOSITED IN THE HERBARIUM OF THE DUBLIN UNIVERSITY BY WILLIA

WILLIAM HENRY HARVEY



This historic book may have numerous typos and missing text. Purchasers can download a free scanned copy of the original book (without typos) from the publisher. Not indexed. Not illustrated. 1847 Excerpt: ... of primary siphons. The figure in the Flora Antarctica is of too bright a colour. Genus 19. DASYA, Ag. Fronds filiformis v. compresso-plana, linearis, ramosa, inarticulata, v. plus minus articulata, articulis longitudinaliter pluristriatis, ramellos monosiphonios dichotomos simplicibus emittens. Caulis e cellulis (siphones) pluribus cavitatem centram radiatim cingentibus saepius strato celluloso corticatis conflatus. Ceramidia ovata v. urceolata, saepissime pedicellata. Stichidia lanceolata, e ramellis enata, tetrasporas duplici multiplici serie foventia. Algae fruticosae, habitu vario, boreales, tropica et austraks, roseae, purpureae v. rarb badiae, ramellis saepic penicellatis, gracillimis, flaccidis, plus minus vestitae; stichidiis elegantissimis. This beautiful genus, founded in 1824, on the Mediterranean Basya elegans, now contains thirty described species, which are widely distributed over the Ocean, from the north of Europe to Cape Horn. In Northern Europe two species occur; on the south coast of England, and in Ireland, a third makes its appearance; the Atlantic shores of Spain furnish two more, and the Mediterranean Sea, besides two of the former, produces five species, which do not elsewhere occur in Europe. Basya elegans, the type of the genus, abounds also on the shores of Rhode Island, in North America, and is closely represented by the B. villosa of the Southern Hemisphere. Basya coccinea, the most northern species, is found on all the Atlantic shores of Europe, and in North America, but does not exist in the Mediterranean; this also has its tropical analogue in D. crassa, and its southern in D. ceramioides. Basya arbuscula, the other north of Europe form, which extends from

Nereis Australis, or Algae of the Southern Ocean; being figures and descriptions of Marine Plants, Collected on the shores of the Cape of Good Hope, ... and the Antarctic Regions deposited in the

the Orkneys to the shores of Senegambia, is very closely, perha...

[\[PDF\] The American Shorthorn Herd Book, Volume 38...](#)

[\[PDF\] National Geographic Magazine - March 1958 - Volume CXIII, Number Three](#)

[\[PDF\] Antarctica: Exploring the Extreme: 400 Years of Adventure](#)

[\[PDF\] An Enabler Not a Victim Work Booklet: Ending the Cycle of Domestic Violence](#)

[\[PDF\] Aging Population, Pension Funds, and Financial Markets: Regional Perspectives and Global Challenges for Central, Eastern and Southern Europe \(Directions in Development\)](#)

[\[PDF\] Its Not the Glass Ceiling, Its the Sticky Floor: And Other Things Our Daughters Should Know About Marriage, Work, and Motherhood](#)

[\[PDF\] Self-Actualization in Women and Its Relationship to Motherhood, Educational Background, Employment Status, and Present Age](#)

Nereis Australis, Or Algae of the Southern Ocean: Being Figures and New Zealand, And The Antarctic Regions on ? FREE SHIPPING on Of Marine Plants, Collected On The Shores Of The Cape Of Good Hope, . **Nereis australis, or Algae of the southern ocean : being figures and Nereis Australis, Or Algae of the Southern Ocean: Being Figures and** Nereis australis, or algae of the southern ocean: being figures and descriptions of marine plants, collected on the shores of the Cape of Good Hope, the extra-tropical Australian colonies, Tasmania, New Zealand, and the Antarctic regions deposited in the Herbarium of the Dublin University. [Part 1]. pp. i-viii, 1-64, pls I-XXV. **Plocamium hookeri Harvey :: Algaebase** Nereis Australis or algae of the Southern ocean : being figures and descriptions of marine plants collected on the shores of the Cape of Good Hope, the extra-tropical Australian colonies, Tasmania, New Zealand and the Antarctic regions deposited in the Herbarium of the Dublin University / by William Henry Harvey Harvey, Nereis australis, or algae of the southern ocean: being figures and descriptions of marine plants, collected on the shores of the Cape of Good Hope, the extra-tropical Australian colonies, Tasmania, New Zealand, and the Antarctic regions deposited in the Herbarium of the Dublin University. [Part 2]. pp. 65-124 [ends **Epineuron colensoi & Harvey - Algaebase.org** Nereis Australis, or algae of the Southern Ocean: being figures and descriptions of marine plants, collected on the shores of the Cape of Good Hope, the extra-tropical Australian colonies, Tasmania, New Zealand, and the Antarctic regions deposited in the herbarium of the Dublin University. London. Hawkesworth, John. **Epineuron colensoi & Harvey - AlgaeBase.org** Nereis australis, or algae of the southern ocean: being figures and descriptions of marine plants, collected on the shores of the Cape of Good Hope, the extra-tropical Australian colonies, Tasmania, New Zealand, and

Nereis Australis, or Algae of the Southern Ocean; being figures and descriptions of Marine Plants, Collected on the shores of the Cape of Good Hope, ... and the Antarctic Regions deposited in the

the Antarctic regions deposited in the Herbarium of the Dublin University. [Part 1]. pp. i-viii, 1-64, pls I-XXV.

Polysiphonia cancellata Harvey :: **Algaebase** Harvey, W.H. (1849). *Nereis australis*, or algae of the southern ocean: being figures and descriptions of marine plants, collected on the shores of the Cape of Good Hope, the extra-tropical Australian colonies, Tasmania, New Zealand, and the Antarctic regions deposited in the Herbarium of the Dublin University. [Part 2]. pp. **Nereis Australis, or Algae of the Southern Ocean Being Figures and** Algae antarcticae, being characters and descriptions of the hitherto *Nereis australis*, or algae of the southern ocean: being figures and descriptions of marine plants, collected on the shores of the Cape of Good Hope, the New Zealand, and the Antarctic regions deposited in the Herbarium of the Dublin University. **Dasya capillaris & Harvey** :: **Algaebase** *Nereis australis*, or algae of the southern ocean: being figures and descriptions of marine plants, collected on the shores of the Cape of Good Hope, the extra-tropical Australian colonies, Tasmania, New Zealand, and the Antarctic regions deposited in the Herbarium of the Dublin University. [Part 1]. pp. i-viii, 1-64, pls I-XXV. **Nereis Australis, Or Algae of the Southern Ocean: Being Figures and** *Nereis Australis, Or Algae of the Southern Ocean: Being Figures and Descriptions of Marine Plants, Collected On the Shores of the Cape of Good Hope, the Extra-Tropical Australian Tasmania, New Zealand, and the Antarctic Regions Deposited in the* by harvey, william henryauthor only for Rs. 2406 at .

Lenormandia marginata & Harvey :: **Algaebase** *Nereis Australis, Or Algae of the Southern Ocean: Being Figures and Descriptions of Marine Plants, Collected on the Shores of the Cape of Good Hope, the Extra-Tropical Australian Colonies, Tasmania, New Zealand, and the Antarctic Regions Deposited in the Herbarium of the Dublin University* by William Henry Harvey. **Cladhymenia lyallii Harvey** :: **Algaebase** Nov 13, 2014 *Nereis australis*, or Algae of the southern ocean : being figures and descriptions of marine plants, collected on the shores of the Cape of Good Hope, the extra-tropical Australian colonies, Tasmania, New Zealand, and the Antarctic regions deposited in the Herbarium of the Dublin University / **Nereis australis, or, Algae of the southern ocean : being figures and** *Nereis australis*, or algae of the Southern Ocean being figures and descriptions of marine plants, collected on the shores of the Cape of Good Hope, the extra-tropical Australian Colonies, Tasmania, New Zealand, and the Antarctic regions deposited in the Herbarium of the Dublin University. London: Reeve Bros. **Dasya hormoclados** :: **Algaebase** *Nereis australis*, or algae of the southern ocean: being figures and descriptions of marine plants, collected on the shores of the Cape of Good Hope, the extra-tropical Australian colonies, Tasmania, New Zealand, and the Antarctic regions deposited in the Herbarium of the Dublin University. [Part 2]. pp. 65-124 [ends **Nereis Australis, Or Algae Of The Southern Ocean: Being Figures** of marine plants collected on the shores of the Cape of Good Hope, the New Zealand and the Antarctic regions deposited in the Herbarium of the Dublin **Nereis Australis, Or Algae of the Southern Ocean: Being Figures and** Buy *Nereis Australis, Or Algae of the Southern Ocean: Being Figures and Descriptions of Marine Plants, Collected On The Shores of The Cape of Good Hope, and The Antarctic Regions Deposited in The* by William Henry Harvey (ISBN: 9781298594570) from Amazons Book Store. Free UK delivery on eligible orders. **Nereis Australis, Or Algae of the**

Southern Ocean: Being Figures and *Nereis australis*, or Algae of the southern ocean : being figures and descriptions of marine plants, collected on the shores of the Cape of Good Hope, the extra-tropical Australian colonies, Tasmania, New Zealand, and the Antarctic regions deposited in th. Harvey, William H. (William Henry). London :Reeve Brothers **Polysiphonia versicolor & Harvey** :: **Algaebase** Buy *Nereis Australis, Or Algae of the Southern Ocean: Being Figures and Descriptions of Marine Plants, Collected On the Shores of the Cape of Good Hope, and the Antarctic Regions Deposited in the* on ? FREE SHIPPING on qualified orders. **Nereis australis, or Algae of the southern ocean : being - Flickr** *Nereis australis*, or algae of the southern ocean: being figures and descriptions of marine plants, collected on the shores of the Cape of Good Hope, the extra-tropical Australian colonies, Tasmania, New Zealand, and the Antarctic regions deposited in the Herbarium of the Dublin University. [Part 1]. pp. i-viii, 1-64, pls I-XXV. **Nereis Australis or algae of the Southern ocean : being figures and** Harvey, W.H. (1849). *Nereis australis*, or algae of the southern ocean: being figures and descriptions of marine plants, collected on the shores of the Cape of Good Hope, the extra-tropical Australian colonies, Tasmania, New Zealand, and the Antarctic regions deposited in the Herbarium of the Dublin University. [Part 2]. pp. **Polyphacum smithiae & Harvey** :: **Algaebase** *Nereis australis*, or algae of the southern ocean: being figures and descriptions of marine plants, collected on the shores of the Cape of Good Hope, the extra-tropical Australian colonies, Tasmania, New Zealand, and the Antarctic regions deposited in the Herbarium of the Dublin University. [Part 1]. pp. i-viii, 1-64, pls I-XXV. **Nereis Australis or algae of the Southern ocean : being figures and** Buy *Nereis Australis, or Algae of the Southern Ocean being figures and descriptions of Marine Plants, Collected on the shores of the Cape of Good Hope, and the Antarctic Regions deposited in the* by William Henry

Nereis Australis, or Algae of the Southern Ocean; being figures and descriptions of Marine Plants, Collected on the shores of the Cape of Good Hope, ... and the Antarctic Regions deposited in the

Harvey (ISBN: **Amphiroa bowerbankii Harvey :: Algaebase** Buy Nereis Australis, Or Algae of the Southern Ocean: Being Figures and Descriptions of Marine Plants, Collected On the Shores of the Cape of Good Hope, and the Antarctic Regions Deposited in the by William Henry Harvey (ISBN:) from Amazons Book Store. Free UK delivery on eligible orders. **Bostrychia binderi Harvey :: Algaebase** Nereis australis, or, Algae of the southern ocean : being figures and descriptions of marine plants, collected on the shores of the Cape of Good Hope, the Tasmania, New Zealand, and the Antarctic regions deposited in the Herbarium of the Dublin Physical Description: viii, 124 p., 50 leaves of plates : col. ill. 28 cm. **The Correspondence of Charles Darwin: 1847-1850 - Google Books Result** Nereis Australis, or Algae of the Southern Ocean Being Figures and Descriptions of Marine Plants, Collected on the Shores of the Cape of Good Hope, the